SPE RESPONSE FOR CERTIFICATE OF CORRECTION

DATE	: 12/18/08	
TO SPE OF	: ART UNIT2162	
SUBJECT		rection for Appl. No.: <u>09835791</u> Patent No.: <u>7363290 B1</u>
	•	tertificate of correction within 7 days.
FOR IFW F	•	entificate of correction within 7 days.
Please revie the IFW app	 ew the requested changes	s/corrections as shown in the COCIN document(s) in natter should be introduced, nor should the scope or
	plete the response (see b	elow) and forward the completed response to scanning
FOR PAPE	R FILES:	
		s/corrections as shown in the attached certificate of n (see below) and forward it with the file to:
Sout Palm	ficates of Correction Bra h Tower - 9A22 I Location 7580	
Sout Palm	h Tower - 9A22 Location 7580	
Sout Palm	h Tower - 9A22 Location 7580	
Sout Palm	h Tower - 9A22 Location 7580	Certificates of Correction Branch
Sout Palm (O) Gan (O) Gan Thank You The reques	h Tower - 9A22 Location 7580 This short was S	Certificates of Correction Branch
Sout Palm Fou Ganar Thank You The reques Note your decision	h Tower - 9A22 Location 7580 Reflecting 7580 For Your Assistance at for issuing the above-i	Certificates of Correction Branch 703-308-9390 ext
Sout Palm Out district Thank You The reques Note your decision	h Tower - 9A22 Location 7580 If the Director of the Control of the Above-in on the appropriate box.	Certificates of Correction Branch 703-308-9390 ext
Sout Palm Out danger Thank You The reques Note your decision	h Tower - 9A22 Location 7580 This strong Control of the strong Con	Certificates of Correction Branch 703-308-9390 ext Identified correction(s) is hereby: All changes apply.
Sout Palm 50 district Thank You The reques Note your decisio	h Tower - 9A22 Location 7580 For Your Assistance st for issuing the above-in on the appropriate box. Approved Approved in Part	Certificates of Correction Branch 703-308-9390 ext Identified correction(s) is hereby: All changes apply. Specify below which changes do not apply.
Sout Palm 50 district Thank You The reques Note your decisio	h Tower - 9A22 Location 7580 The Planting SEE For Your Assistance of for issuing the above-in on the appropriate box. Approved Approved in Part	Certificates of Correction Branch 703-308-9390 ext Identified correction(s) is hereby: All changes apply. Specify below which changes do not apply.
Sout Palm Thank You The reques Note your decision	h Tower - 9A22 Location 7580 The Planting SEE For Your Assistance of for issuing the above-in on the appropriate box. Approved Approved in Part	Certificates of Correction Branch 703-308-9390 ext Identified correction(s) is hereby: All changes apply. Specify below which changes do not apply.
Sout Palm Thank You The reques Note your decision	h Tower - 9A22 Location 7580 The Planting SEE For Your Assistance of for issuing the above-in on the appropriate box. Approved Approved in Part	Certificates of Correction Branch 703-308-9390 ext Identified correction(s) is hereby: All changes apply. Specify below which changes do not apply.

II & DEDADTMENT OF COMMEDCE Datast and Tradamark Office

SPE RESPONSE FOR CERTIFICATE OF CORRECTION /John E Breene/ SPE AU 2162